



Commitment to Quality • Full Service Department • Unparalleled Service • Packaging Specialists • Modern In-House Cost-Effective Solutions • Excellence in Printing • Innovative Product Development • Effective Graphic Design • Commitment to Quality • Full Service Art Department • Unparalleled Service • Food Packaging Specialists • Modern In-House • 50 Years in Business • Cost-Effective Solutions • Commitment to Quality • Excellence in Printing • Inno



containers of quality



Superior Materials • Deli Line of Containers • Food Packaging Solutions • High Quality Printing • Lid Overcaps • Seal Top Liners • Tamper Evident Lids • Can Adhesive Label Application • Superior Materials • Deli Line of Containers • Proven Food Packaging Solutions • High Quality Printing • Lid Overcaps • Seal Top Liners • Tamper Evident Lids • Can Adhesive Label Application • Superior Materials • Deli Line of Containers • Proven Food Packaging Solutions

king plastics, inc.





## DELI Line of Containers

The Deli-Line is our most aggressively priced container line. We believe that our high level of quality and service, combined with competitive price levels, set us apart from other manufacturers who offer a similar style package. These benefits truly make Deli-Line containers a cost-effective choice.

Tamper evidence can be achieved by our popular "Tamper Evident" lids, or by using shrink bands or film seals. Flat or recessed lids are also an available option.

The Deli-Line is currently being used for products such as: Guacamole, Salsas, Salads, Dips, Spreads, Soups, Sauces, etc. Sizes range from 7oz. to 48oz. capacities. Currently available are 11 sizes in Clear Polypropylene and four sizes in White or Natural High Density Polyethylene.



## Container Lids & Overcaps

Our closure lids and overcaps, which come in all accompanying sizes, are for use with all of our containers as well as in combination with most aluminum, steel, and composite cans.

Our popular "Tamper Evident" lid model, for use with our Deli Line of Containers, features an innovative tear-away strip that provides clearly visible evidence of product tampering, while remaining user-friendly for the consumer.

LP Series Lids are available in White or Natural Linear Low Density Polyethylene, as well as Custom Colors. PPF Polypropylene model lids are available in White or Clear.



## SEAL-TOP® Line of Containers

Our exclusive Seal-Top® Design incorporates the application of an easy-open aluminum or steel end that, once applied, provides a high degree of tamper resistance, as well as a liquid and air tight seal at the seam.

The Seal-Top® line is capable of running on manual, semi-automatic, and high speed canning equipment. This design requires the usage of can seaming equipment, which is necessary in order to achieve a hermetic seal.

The Seal-Top® line is currently being used for products such as: Fresh Shucked Oysters, Crabmeat (Pasteurized, Fresh, and Frozen), Lobster Meat, Soups, Sauces, etc...

All sizes are available in either Clear or Natural, depending on the item.




Seal-Top® containers with easy-open aluminum ends achieve a hermetic seal that is both tamper resistant and liquid tight.




# DELI Line of Containers


Container Specifications

Uses Lid Models:  
**LPF 401 (Flat)**  
**LPR 401 TE (Tamper Evident)**





**ES 40109**  
**9 oz. Model**

9.6 FL. OZ. w/ LPF 401  
 4-1/16" WIDE w/ LID  
 2-1/8" HIGH w/ LID  
 CLEAR; WHITE   
 1,000 PER CASE  
 26 LBS. CASE WEIGHT




**LS 41007**  
**7 oz. Model**

8.4 FL. OZ. w/ LPF 410  
 4-5/8" WIDE w/ LID  
 1-1/2" HIGH w/ LID  
 NATURAL; WHITE   
 1,000 PER CASE  
 31 LBS. CASE WEIGHT




**ES 41008**  
**8 oz. Model**

9.2 FL. OZ. w/ LPF 410  
 4-5/8" WIDE w/ LID  
 1-5/8" HIGH w/ LID  
 CLEAR; WHITE   
 1,000 PER CASE  
 32 LBS. CASE WEIGHT




**ES 41009**  
**9 oz. Model**



10.4 FL. OZ. w/ LPF 410  
 4-5/8" WIDE w/ LID  
 1-3/4" HIGH w/ LID  
 CLEAR; WHITE   
 1,000 PER CASE  
 32 LBS. CASE WEIGHT




**LS 41009**  
**9 oz. Model**

10.4 FL. OZ. w/ LPF 410  
 4-5/8" WIDE w/ LID  
 1-3/4" HIGH w/ LID  
 NATURAL; WHITE   
 1,000 PER CASE  
 33 LBS. CASE WEIGHT

Uses Lid Models:  
**LPF 410 (Flat)**  
**LPR 410 S (Recessed)**  
**LPR 410 TE (Tamper Evident)**  
**PPF 410 (Flat)**





**ES 41011**  
**11 oz. Model**

12 FL. OZ. w/ LPF 410  
 4-5/8" WIDE w/ LID  
 2-3/16" HIGH w/ LID  
 CLEAR   
 1,000 PER CASE  
 33 LBS. CASE WEIGHT





**ES 41012**  
**12 oz. Model**

13 FL. OZ. w/ LPF 410  
 4-5/8" WIDE w/ LID  
 2-1/4" HIGH w/ LID  
 CLEAR; WHITE   
 1,000 PER CASE  
 33 LBS. CASE WEIGHT





**ES 41014**  
**14 oz. Model**

15.1 FL. OZ. w/ LPF 410  
 4-5/8" WIDE w/ LID  
 2-5/8" HIGH w/ LID  
 CLEAR; WHITE   
 800 PER CASE  
 34 LBS. CASE WEIGHT




**ES 41015**  
**15 oz. Model**



16.2 FL. OZ. w/ LPF 410  
 4-5/8" WIDE w/ LID  
 2-11/16" HIGH w/ LID  
 CLEAR; WHITE   
 800 PER CASE  
 35 LBS. CASE WEIGHT




**ES 41016**  
**16 oz. Model**


17.2 FL. OZ. w/ LPF 410  
 4-5/8" WIDE w/ LID  
 2-7/8" HIGH w/ LID  
 CLEAR; WHITE   
 800 PER CASE  
 33 LBS. CASE WEIGHT

Uses Lid Models:  
**LPF 410 (Flat)**  
**LPR 410 S (Recessed)**  
**LPR 410 TE (Tamper Evident)**  
**PPF 410 (Flat)**





**ES 41017**  
**17 oz. Model**

18.2 FL. OZ. w/ LPF 410  
 4-5/8" WIDE w/ LID  
 3-1/16" HIGH w/ LID  
 CLEAR   
 780 PER CASE  
 37 LBS. CASE WEIGHT





**LS 41018**  
**18 oz. Model**

19.6 FL. OZ. w/ LPF 410  
 4-5/8" WIDE w/ LID  
 3-1/4" HIGH w/ LID  
 NATURAL; WHITE   
 780 PER CASE  
 43 LBS. CASE WEIGHT





**ES 41024**  
**24 oz. Model**

25.2 FL. OZ. w/ LPF 410  
 4-5/8" WIDE w/ LID  
 4-1/8" HIGH w/ LID  
 CLEAR; WHITE   
 500 PER CASE  
 34 LBS. CASE WEIGHT




**ET 41032**  
**32 oz. Model**

33 FL. OZ. w/ LPF 410  
 4-5/8" WIDE w/ LID  
 5-1/4" HIGH w/ LID  
 CLEAR; WHITE   
 400 PER CASE  
 34 LBS. CASE WEIGHT



**ETI 41036**  
**36 oz. Model**

36 FL. OZ. w/ LPF 410  
 4-5/8" WIDE w/ LID  
 6" HIGH w/ LID  
 WHITE   
 380 PER CASE  
 34 LBS. CASE WEIGHT

Lid Specifications

Deli Line containers are available with four types of lids: The Flat Lid (2 styles; Polyethylene or Polypropylene), the Recessed Lid, and the Recessed Tamper Evident Lid. The Recessed Lid models reduce the available capacity by approximately 1 to 1-1/2 fluid ounces.



Flat Lid



Recessed Lid



Tamper Evident Lid

Lid Model	Lid Type	Diameter	Case / Wt. (lbs.)
LPF 401*	Flat Lid	4-1/16"	1000 / 17
LPR 401 TE*	Tamper Evident	4-1/16"	1000 / 20
LPF 410*	Flat Lid	4-5/8"	1000 / 22
PPF 410**	Flat Lid	4-5/8"	1000 / 17
LPR 410-S*	Recessed Lid	4-5/8"	1300 / 30
LPR 410 TE*	Tamper Evident	4-5/8"	1000 / 28
LPF 505*	Flat Lid	5-5/16"	672 / 22

\*Linear Low Density Polyethylene

\*\*Polypropylene




# DELI Line of Containers - continued

Container Specifications

Uses Lid Model:  
**LPF 505 (Flat)**





**ES 50512**  
**12 oz. Model**

13 FL. OZ. w/ LPF 505  
 5-5/16" WIDE w/ LID  
 1-5/8" HIGH w/ LID  
 CLEAR  
 504 PER CASE   
 21 LBS. CASE WEIGHT





**ES 50526**  
**24 oz. Model**

26.8 FL. OZ. w/ LPF 505  
 5-5/16" WIDE w/ LID  
 3-1/8" HIGH w/ LID  
 CLEAR  
 360 PER CASE   
 23 LBS. CASE WEIGHT




**ES 50534**  
**32 oz. Model**

35 FL. OZ. w/ LPF 505  
 5-5/16" WIDE w/ LID  
 4-1/8" HIGH w/ LID  
 CLEAR  
 336 PER CASE   
 27 LBS. CASE WEIGHT




**ETI 50548**  
**48 oz. Model**

49.2 FL. OZ. w/ LPF 505  
 5-5/16" WIDE w/ LID  
 5-11/16" HIGH w/ LID  
 WHITE  
 308 PER CASE   
 34 LBS. CASE WEIGHT


## SPECIAL USE

Container Specifications


Uses Lid Models:  
**LPF 603 R (Flat)**  
**LPF 603 KP (Flat / Tight Fit)**



**LT 603110**  
**110 oz. Model**

110.25 FL. OZ. w/ LPF 603 R  
 6-3/16" WIDE w/ LID  
 8-1/2" HIGH w/ LID  
 WHITE  
 100 PER CASE   
 26 LBS. CASE WEIGHT

Uses Lid Model:  
**LPF 604 (Flat)**



**ETI 604110**  
**110 oz. Model**

110.25 FL. OZ. w/ LPF 604  
 6-1/4" WIDE w/ LID  
 8-1/2" HIGH w/ LID  
 WHITE  
 1,470 PER PALLET (Palletized)  
 362 LBS. PALLET WEIGHT (Palletized)



Flat Lid



Regular Lid / Tight Fit


Lid Model	Lid Type	Diameter	Case / Wt. (lbs.)
LPF 603 R	Flat Lid	6-3/16"	600 / 27
LPF 603 KP	Flat Lid / Tight Fit	6-3/16"	600 / 29
LPF 604	Flat Lid	6-1/4"	600 / 30

Lid Specifications


## TAMP-R-SAF® Line of Containers


Container Specifications

Uses Lid Models:  
**LPF 603 R (Flat)**  
**LPF 603 KP (Flat / Tight Fit)**




**LS 60364 T/S**  
**64 oz. Model**

64 FL. OZ. w/ LPF 603 R  
 6-3/16" WIDE w/ LID  
 5-5/8" HIGH w/ LID  
 WHITE; NATURAL   
 200 PER CASE  
 30 LBS. CASE WEIGHT



**LT 60383 T/S**  
**83 oz. Model**

84 FL. OZ. w/ LPF 603 R  
 6-3/16" WIDE w/ LID  
 6-5/16" HIGH w/ LID  
 WHITE; NATURAL   
 150 PER CASE  
 31 LBS. CASE WEIGHT

Lid Specifications



Flat Lid



Regular Lid / Tight Fit

Lid Model	Lid Type	Diameter	Case / Wt. (lbs.)
LPF 603 R	Flat Lid	6-3/16"	600 / 27
LPF 603 KP	Flat Lid / Tight Fit	6-3/16"	600 / 30

Our unique Tamp-R-Saf® Design incorporates a tamper evident system built directly into the container.

Once the lid is applied, simply break the two break-away tabs to gain access to the contents of the container. A broken tab provides visual evidence of a tampered package.

## OVERCAPS

Overcaps are available in White or Natural. Please inquire for Custom Color information.

Multi-Use Lid Overcap Specs

**LPF 211** 2-11/16" Diameter • Case/Wt. (lbs.) 2000 / 22

**LPF 212** 2-3/4" Diameter • Case/Wt. (lbs.) 2000 / 18

**LPF 304** 3-1/4" Diameter • Case/Wt. (lbs.) 1500 / 18

**LPF 307** 3-7/16" Diameter • Case/Wt. (lbs.) 1000 / 14

**LPF 307 CC** 3-7/16" Diameter • Case/Wt. (lbs.) 1000 / 15

**LPF 309 R** 3-9/16" Diameter • Case/Wt. (lbs.) 1000 / 15

**LPF 400** 4" Diameter • Case/Wt. (lbs.) 1350 / 25

**LPF 401** 4-1/16" Diameter • Case/Wt. (lbs.) 1000 / 17

**LPF 402** 4-1/8" Diameter • Case/Wt. (lbs.) 1000 / 19

**LPF 410** 4-5/8" Diameter • Case/Wt. (lbs.) 1000 / 24




**LPF 502 R** 5-1/8" Diameter • Case/Wt. (lbs.) 1000 / 29

**LPF 603 R** 6-3/16" Diameter • Case/Wt. (lbs.) 600 / 27


# SEAL TOP® Line of Containers

Container Specifications


Uses Lid Models:  
**LPF 307 CC**  
**307 CS**  
**307 FPPO Bowl**




**ES 30708 S/T**  
**8 oz. Model**

8.1 FL. OZ. w/ LPF 307 CC  
 3-7/16" WIDE w/ LID  
 2-7/16" HIGH w/ LID  
**CLEAR**   
 640 PER CASE  
 19 LBS. CASE WEIGHT


**ES 30710 S/T**  
**10 oz. Model**

10.1 FL. OZ. w/ LPF 307 CC  
 3-7/16" WIDE w/ LID  
 3-1/8" HIGH w/ LID  
**CLEAR**   
 460 PER CASE  
 20 LBS. CASE WEIGHT


**ET 30716 S/T**  
**16 oz. Model**

16.1 FL. OZ. w/ LPF 307 CC  
 3-7/16" WIDE w/ LID  
 4-13/16" HIGH w/ LID  
**CLEAR**   
 440 PER CASE  
 30 LBS. CASE WEIGHT


Uses Lid Models:  
**LPF 402**  
**401 FPPO Bowl**




**ES 40106 S/T**  
**6 oz. Model**

6.5 FL. OZ. w/ LPF 402  
 4-1/8" WIDE w/ LID  
 1-11/16" HIGH w/ LID  
**CLEAR**   
 1,000 PER CASE  
 29 LBS. CASE WEIGHT


**ES 40110 S/T**  
**10 oz. Model**

10 FL. OZ. w/ LPF 402  
 4-1/8" WIDE w/ LID  
 2-3/8" HIGH w/ LID  
**CLEAR**   
 1,000 PER CASE  
 37 LBS. CASE WEIGHT



**ES 40117 S/T**  
**17 oz. Model**

16.7 FL. OZ. w/ LPF 402  
 4-1/8" WIDE w/ LID  
 3-5/8" HIGH w/ LID  
**CLEAR**   
 480 PER CASE  
 32 LBS. CASE WEIGHT

**ET 40131 S/T**  
**31 oz. Model**

31 FL. OZ. w/ LPF 402  
 4-1/8" WIDE w/ LID  
 6-1/8" HIGH w/ LID  
**CLEAR; NATURAL**   
 300 PER CASE  
 32 LBS. CASE WEIGHT


**For use with:** ES 30708 S/T; ES 30710 S/T; ET 30716 S/T



Lid Model	Lid Type	Diameter	Case / Wt. (lbs.)
307 CS	Aluminum End	3-7/16"	2880 / 44
307 FPPO BOWL	Aluminum End	3-7/16"	3120 / 43


**307 CS    307 FPPO BOWL**

**For use with:** ES 40106 S/T; ES 40110 S/T; ES 40117 S/T; ET 40131 S/T



Lid Model	Lid Type	Diameter	Case / Wt. (lbs.)
401 FPPO BOWL	Aluminum End	4-1/16"	2160 / 45


**401 FPPO BOWL**



**For use with:**  
 ES 30708 S/T; ES 30710 S/T;  
 ET 30716 S/T

**Lid Type** Regular  
**Diameter** 3-7/16"  
**Color** White, Natural  
**Case / Wt. (lbs.)** 1000 / 15

**LPF 307 CC**  
 Linear Low Density Polyethylene



**For use with:**  
 ES 40106 S/T; ES 40110 S/T;  
 ES 40117 S/T; ET 40131 S/T

**Lid Type** Regular  
**Diameter** 4-1/8"  
**Color** White, Natural  
**Case / Wt. (lbs.)** 1000 / 19

**LPF 402**  
 Linear Low Density Polyethylene

## WARRANTIES AND DISCLAIMERS:

King Plastics, Inc. only warrants that the goods sold hereunder shall be made in accordance with our established specifications, using materials that are suitable for food contact and will conform to the Federal Food, Drug and Cosmetic Act, as amended, and to all applicable regulations thereunder.

All products are sold with the understanding that before placing an order, the buyer will request, examine and test samples of the product to be furnished by King Plastics, Inc. and determine for themselves whether they meet the requirement of the buyer.

King Plastics, Inc. products are warranted to be free from defects in material and workmanship at the time sold by King Plastics, but the obligation under this warranty is limited only to the replacement of product. Under no circumstances is King Plastics, Inc., liable for loss, damage, expenses or consequential damages arising out of the use of or the inability to use King Plastics, Inc. products. The buyer accepts the goods solely on the basis of the warranties hereinabove expressed.

## CLAIMS:

Damage in transit is the responsibility of the carrier and claims should be filed immediately. No merchandise may be returned without authorization in writing from King Plastics California headquarters. Orders are subject to acceptance or rejection for any reason. All returns are subject to a 20% handling charge.

All materials processed are approved by the FDA. Liquid capacity is measured in fluid ounces (water). The lid (flat or recessed) will decrease the liquid volume accordingly. We recommend testing with actual product.

## PRODUCT AVAILABILITY:

Some product models may be considered "Non-Stock", and may require 10,000 minimum quantities per order.

Many of our products are available in "Freezer Grade / Impact Material" and in custom colors. Please inquire for further information.

As part of our effort to maintain a product line that best meets the needs of our customers, product models may be added or deleted over the course of time.

© Copyright 2013 King Plastics, Inc.



*Beginning in 1962 in Santa Fe Springs, California, King Plastics has grown with consistent success. Today, with 50 years of experience in injection molding, custom mold design, product innovation, and high quality printing, King Plastics has earned a unique reputation in the food packaging industry as both pioneers and as innovators.*

*Inventive ingenuity in the field of Tamper-Evident, Tamper-Resistant package design for retail and institutional plastic food containers has made King Plastics a leader in an increasingly competitive industry. This pioneering spirit, coupled with progressive quality in the decoration of plastic food packaging, has placed King Plastics among that select group of firms in the United States dedicated to providing consistent, top-quality products and exceptional service to the food processing industry.*

*In 1973, King Plastics moved into our current location in Orange, California. We operate a 100,000 square-foot manufacturing plant, which includes an in-house machine shop capable of building new molds and repairing existing molds. Our machine shop is equipped with some of today's most modern equipment, and is staffed by craftsmen skilled in the technical arts. We also have our own in-house graphic design department, featuring the experience and know-how necessary to achieve distinctive product packaging.*

*Our current product line consists of over 30 proprietary containers (with accompanying closures), ranging in sizes from 6 fl. oz. to 110 fl. oz. We can print up to 8 individual ink colors, depending on the item. We can also apply pre-printed adhesive labels to containers and lids, depending on the item.*

*King Plastics' multi-faceted product line is produced utilizing 250 Ton to 650 Ton injection molding machines and state-of-the-art lid and sidewall printing presses; All in an hygienic environment where quality control and cleanliness are of utmost importance. Resin storage capacity in excess of 1,000,000 pounds, and in-depth experience in high density polyethylene, linear low density polyethylene, and polypropylene allow King Plastics to meet almost any food packaging need. All of our products meet or exceed FDA regulations for plastic food packaging and recyclability.*

*At King Plastics, we are steadfastly dedicated to quality, consistency, and customer satisfaction. We care, along with each customer, about the success of every project, and continually strive to achieve the best possible packaging solution. Our dedication is the driving force behind our products, and our commitment to customer service enables us to respond effectively to each customer's unique needs.*

*We welcome your inquiries, and will be glad to provide you with all of the information you will need to achieve excellent results, so that you may display your products with pride; Because at King Plastics, we believe "quality products deserve quality containers."*

**840 North Elm Street • Orange, California 92867**

**Phone: (714) 997-7540 • Toll Free: (800) 997-7540 • Fax: (714) 997-0491**

**[www.kingplastics.com](http://www.kingplastics.com)**

**Cost-Effective Solutions • Superior Products • Unparalleled Service**